

a printer for printing indicia on a first compact disc, the printer includes an extendable draw adapted to receive the first compact disc;

a recorder for recording information on the first compact disc, the recorder includes an extendable draw to receive the first compact disc; and

a transporter carriage for simultaneously holding the first and a second compact discs on first and second planes, the transporter carriage is moveable in both vertical and a horizontal directions to place and pick up the first compact disc from the drawers of both the recorder and printer, the transporter carriage is moveable in both vertical and a horizontal directions to pick up one of the plurality of blank compact discs held at the supply location,

the transporter carriage comprises a pickup arm and a gripping head attached to one end of the pickup arm, the gripping head has first and second gripping locations each for respectively holding the first and second compact discs simultaneously, and the gripping head is rotatable about a horizontal axis of the pickup arm.

14. (Amended) A method of operating a disc processing system comprising a printer for printing indicia on a compact disc, a recorder for recording information on the compact disc, and a transporter carriage for simultaneously holding at least two compact discs, the method comprising:

gripping a first compact disc with the transporter carriage;

moving the transporter carriage to the recorder and placing the first compact disc in the recorder;

moving the transporter carriage to a supply location and gripping a second compact disc with the transporter carriage while the first compact disc is in the recorder;

removing the first compact disc from the recorder with the transporter carriage, such that the transporter carriage simultaneously grips both the first and second compact discs on first and second planes, respectively;

placing the second compact disc in the recorder after the first compact disc has been removed; and

Q3 moving the transporter carriage to the printer and placing the first compact disc in the printer.

Sub 1
Q4 18. (Amended) A method of operating a disc processing system comprising a printer for printing indicia on a compact disc, a recorder for recording information on the compact disc, and a transporter carriage for simultaneously holding two compact discs, the method comprises in the order of:

gripping a first compact disc with the transporter carriage;

Q4 moving the transporter carriage to the recorder and placing the first compact disc in the recorder;

moving the transporter carriage to a supply location and gripping a second compact disc with the transporter carriage while the first compact disc is in the recorder;

removing the first compact disc from the recorder with the transporter carriage, such that the transporter carriage simultaneously grips both the first and second compact discs on first and second planes, respectively;

placing the second compact disc in the recorder after the first compact disc has been removed; and

moving the transporter carriage to the printer and placing the first compact disc in the printer.

19. (Amended) A method of operating a disc processing system comprising a printer for printing indicia on a compact disc, a recorder for recording data on the compact disc, and a transporter carriage for simultaneously holding at least two compact discs on first and second planes, the method comprising:

either recording data on a first compact disc using a recorder, or printing indicia on the first compact disc with the printer; and

gripping a second compact disc using the transporter carriage while the first compact disc is located in either the recorder or the printer.

b2
21. (Amended) A method of operating a disc processing system comprising a printer for printing indicia on a compact disc, a recorder for recording information on the compact disc, and a transporter carriage for simultaneously holding at least two compact discs on first and second planes, the method comprising:

a5
gripping a first compact disc located in the printer with the transporter carriage;
removing the first compact disc from the printer;
moving the transporter carriage to the recorder and gripping a second compact disc located in the recorder with the transporter carriage;
removing the second compact disc from the recorder;
placing the first compact disc in the recorder; and
moving the transporter carriage to the printer; and
placing the second compact disc in the printer.

sub B2
22. (Amended) A method of operating a disc processing system comprising a printer for printing indicia on a compact disc, a recorder for recording information on the compact disc, and a transporter carriage for simultaneously holding at least two compact discs on first and second planes, the method comprising:

gripping a first compact disc located in the recorder with the transporter carriage;
removing the first compact disc from the recorder;
moving the transporter carriage to the printer and gripping a second compact disc located in the printer with the transporter carriage;
removing the second compact disc from the printer;
placing the first compact disc in the printer; and
moving the transporter carriage to the recorder; and
placing the second compact disc in the recorder.

sub D2
23. (Amended) A method of operating a disc processing system comprising a recorder for recording data on the compact disc, and a transporter carriage for simultaneously holding at least two compact discs on first and second planes, the method comprising:

gripping a first compact disc located in the recorder with the transporter carriage;
removing the first compact disc from the recorder; and
placing a second compact disc in the recorder without releasing the first compact disc
or moving the transporter carriage from the recorder to a compact disc supply location.

24. (Amended) A method of operating a disc processing system comprising a printer for
printing indicia on a compact disc, and a transporter carriage for simultaneously holding at
least two compact discs on first and second planes, the method comprising:

gripping a first compact disc located in the printer with the transporter carriage;
removing the first compact disc from the printer; and
placing a second compact disc in the printer without releasing the first compact disc or
moving the transporter carriage from the printer to a compact disc supply location.

25. (Amended) A method of operating a disc processing system comprising a
processing station to perform a processing operation on a compact disc, and a transporter
carriage for simultaneously holding at least two compact discs on first and second planes, the
method comprising:

gripping a first compact disc located in the processing station with the transporter
carriage;
removing the first compact disc from the processing station; and
placing a second compact disc in the processing station without releasing the first
compact disc or moving the transporter carriage from the processing station to a compact disc
supply location.

Please add the following claims:

27. (NEW) A compact disc processing system comprising:
a printer for printing indicia on a first compact disc;
a recorder for recording information on the first compact disc; and

a transporter carriage comprising a gripping head that is rotatable about a horizontal axis, the gripping head includes first and second gripping locations to respectively hold the first and a second compact disc on first and second parallel planes.

28. (NEW) A compact disc processing system comprising:

- a printer for printing indicia on a first compact disc;
- a recorder for recording information on the first compact disc;
- a transporter carriage moveable in both a horizontal and a vertical direction, the transporter carriage comprises a gripping head that is rotatable about a horizontal axis, the gripping head includes first and second gripping locations to respectively hold the first and a second compact disc on first and second parallel planes; and
- a vacuum pump coupled to the gripping head to selectively provide a vacuum to the first and second gripping locations.

29. (NEW) The compact disc processing system of claim 28 wherein the vacuum pump is attached to the gripping head.

30. (NEW) A compact disc processing system comprising:

- a printer for printing indicia on a first compact disc;
- a recorder for recording information on the first compact disc;
- a transporter carriage moveable in both a horizontal and a vertical direction; and
- a gripping head coupled to the transporter carriage and rotatable about a horizontal axis, the gripping head includes first and second gripping locations to respectively hold the first and a second compact disc on first and second parallel planes, the first gripping location comprises a centering feature to axially align the first compact disc with the first gripping location.

31. (NEW) The compact disc processing system of claim 30 wherein the centering feature comprises a plurality of deflectable fingers which extend from the gripping head, wherein